

## NAVY TRAINING SYSTEM PLAN FOR THE

# JET ENGINE TEST INSTRUMENTATION N78-NTSP-A-50-0102/A JULY 2003



#### **EXECUTIVE SUMMARY**

The Jet Engine Test Instrumentation (JETI) is a newly developed system that will, in time, supplant and replace the A/F32T-10A Standard Engine Test System, the A/W37T-1 Engine Test System, and various A/F32T-10 Engine Test Systems throughout the Navy, both ashore and afloat. This Navy Training System Plan addresses the training requirements for proper operation and maintenance of this system.

JETI is operated and maintained by Navy Aviation Machinist's Mates with Navy Enlisted Classification (NEC) code 6422 assigned to the Aircraft Intermediate Maintenance Department Test Cell Work Center 450. JETI provides an integrated, computer-based measurement and automation system for the purpose of intermediate level testing of aircraft gas turbine engines. Program Manager, Air (PMA) 205 has made an official request to Chief of Naval Operations to utilize personnel with the NEC 6701 for maintenance and troubleshooting of computers in the JETI System. The JETI System is maintained in accordance with the actions as delineated in Office of the Chief of Naval Operations Instruction (OPNAVINST) 4790.2. Since the equipment is operated and maintained at the intermediate level, Level 1 (on-equipment) maintenance will be performed at the intermediate level. Depot level repair and rework will be provided by the Original Equipment Manufacturer or through contractor maintenance for life

The training concept for the JETI System is on-site on the job training presented by licensed senior test cell operators (E-5 and above) and Naval Air Technical Data and Engineering Service Command (NATEC) personnel.

Familiarization training for Naval Air Systems Command (NAVAIR) Technical Evaluation personnel was performed by the contractor in June 2000 at Patuxent River, Maryland. Training for NATEC personnel was conducted at Naval Air Station Lemoore, California, in May 2001 and again, along with fleet personnel, during the first installation on CVN 72, USS Abraham Lincoln, a Pacific Fleet aircraft carrier.

The JETI System is approaching Milestone C - Authorization to enter into Limited Rate Initial Production or Procurement. Initial Operating Capability was attained September 2001. The Material Support Date and Navy Support Date are planned to be attained by November 2003.



#### **TABLE OF CONTENTS**

	2	ŀ
	Summaryonyms	
ART I -	TECHNICAL PROGRAM DATA	
A.	Nomenclature-Title-Program	
B.	Security Classification	
C.	Manpower, Personnel, and Training Principals	
D.	System Description.	
E.	Developmental Test and Operational Test	
F.	Aircraft and/or Equipment/System/Subsystem Replaced	
G.	Description of New Development	
H.	Concepts	
	<ol> <li>Operational</li> <li>Maintenance</li> <li>Manning</li> <li>Training</li> </ol>	
I.	Onboard (In-Service) Training	
J.	Logistics Support	
K.	Schedules	
L.	Government Furnished Equipment and Contractor Furnished Equipment Training Requirements	
M.	Related NTSPs and Other Applicable Documents	
ART II ·	BILLET AND PERSONNEL REQUIREMENTS	
ART III	- TRAINING REQUIREMENTS	
ART IV	- TRAINING LOGISTICS SUPPORT REQUIREMENTS	
ART V -	MPT MILESTONES	
ART VI	- DECISION ITEMS/ACTION REQUIRED	
ART VII	- POINTS OF CONTACT	7



#### LIST OF ACRONYMS

AC Alternating Current

ACDU Active Duty

AD Aviation Machinist's Mate AE Aviation Electrician's Mate

AIMD Aircraft Intermediate Maintenance Department

ALSP Acquisition Logistics Support Plan

AMTCS Aviation Maintenance Training Continuum System

APU Auxiliary Power Unit

AT Aviation Electronics Technician

BIT Built-In Test

CAGE Commercial and Government Entity

CBT Computer-Based Training CFY Current Fiscal Year

CM Corrective Maintenance

CNATT Center for Naval Aviation Technical Training

CNO Chief of Naval Operations
COMLANTFLT COMPACFLT COmmander, U.S. Atlantic Fleet
COTS Commercial Off-The-Shelf
CSE Common Support Equipment

CV Aircraft Carrier

CVN Aircraft Carrier, Nuclear

DA Developing Agency DAQ Data Acquisition

EAA Engine Adapter Assemblies

ECPI Engineering Change Proposal Improvement

EDB Electrical Disconnect Box

EIAA Engine Interface Adapter Assembly

EJB Electrical Junction Box EUT Engine Under Test

FADEC Full Authority Digital Electronic Control

FY Fiscal Year

FEA Front End Analysis



#### LIST OF ACRONYMS

ICP Inventory Control Point

IMA Intermediate Maintenance Activity

IOC Initial Operating Capability
IPB Illustrated Parts Breakdown
ISS Interim Supply Support
ITA Interface Test Adapter

JETI Jet Engine Test Instrumentation

MB Megabyte

MDB Mechanical Disconnect Box

MHz Megahertz

MJB Mechanical Junction Box MRC Maintenance Requirement Card

MSD Material Support Date

MTIP Maintenance Training Improvement Program

NA Not Applicable
NAF Naval Air Facility
NAS Naval Air Station

NATEC Naval Air Technical Data and Engineering Service Command

NAVAIR
NAVMAC
NAVPERSCOM
NEC
Navy Manpower Analysis Center
Navy Enlisted Classification

NETC Naval Education and Training Command

NSD Navy Support Date

NTSP Navy Training System Plan

OEM Original Equipment Manufacturer

OJT On-the-Job Training

OPNAV Office of the Chief of Naval Operations

OPNAVINST Office of the Chief of Naval Operations Instruction

OPO OPNAV Principal Official

PC Personal Computer

PDA Principal Development Activity
PDF Portable Document Format
PFY Previous Fiscal Year



#### LIST OF ACRONYMS

PHB Programming Harness Box PM Preventive Maintenance PMA Program Manager, Air

PMRM Periodic Maintenance Requirements Manual

PNEC Primary Navy Enlisted Classification

PSE Peculiar Support Equipment

PSICP Program Support Inventory Control Point

RAM Random Access Memory RFOU Ready For Operational Use

SE Support Equipment SELRES Selected Reserves

SETS Standard Engine Test System

SHIPALT Ship Alteration

SNEC Secondary Navy Enlisted Classification

SRA Shop Replaceable Assembly

TAR Training and Administration of the Naval Reserve

TECHEVAL Technical Evaluation
TM Technical Manual
TPS Test Program Set

UIC Unit Identification Code

ULSS User's Logistics Support Summary

USN United States Navy

VXI Versa Module Europa Extension for Instrumentation



#### **PREFACE**

This Approved Navy Training System Plan (NTSP) for the Jet Engine Test Instrumentation (JETI) program has been developed to comply with guidelines set forth in the Navy Training Requirements Documentation Manual, Chief of Naval Operations (OPNAV) Publication P-751-3-9-97. This NTSP replaces the Draft NTSP, dated November 2002, and updates information provided in the Draft NTSP. Major changes included in this iteration of the NTSP are as follows:

- ° Incorporation of the latest program information
- ° Development of Part II, listing only billets required to support the JETI System
- ° Development of Parts V, VI, and update to Part VII

It was not necessary to develop Parts III and IV; the JETI System will not have a training track or formal training.

#### PART I - TECHNICAL PROGRAM DATA

#### A. NOMENCLATURE-TITLE-PROGRAM

- **1. Nomenclature-Title-Acronym.** A/W37T-1A, A/F32T-10B, A/E37T-36A Jet Engine Test Instrumentation (JETI) System
  - 2. Program Element. 020416N

#### **B. SECURITY CLASSIFICATION**

1.	System Characteristics	Unclassified
2.	Capabilities	Unclassified
3.	Functions	Unclassified

#### C. MANPOWER, PERSONNEL, AND TRAINING PRINCIPALS

OPNAV Principal Official (OPO) Program Spor	nsor CNO (N785D)
OPO Resource Sponsor	CNO (N785D)
Developing Agency	NAVAIR Lakehurst
Training Agency	COMLANTFLT (N731) COMPACFLT (N70) CNATT (FID N5)
Training Support Agency	NAVAIR (PMA205)
Manpower and Personnel Mission Sponsor	NAVPERSCOM (PERS-4, PERS-404)
Director of Naval Education and Training	

#### D. SYSTEM DESCRIPTION

1. Operational Uses. The JETI provides full performance test capability at the Aircraft Intermediate Maintenance Department (AIMD), both ashore and afloat, for manual gas turbine engines. The system capabilities include instrumentation, data acquisition, engine and facility control, and status display. These enhanced capabilities allow interface and control of Full Authority Digital Electronic Control (FADEC) aircraft engines and are required to properly test

and evaluate the performance of the F414 and F110-GE-400 engines. The JETI System also enhances full performance testing capabilities for legacy engines such as the J52-P-408A/B and F404-GE-400/402, and the GTC36-200/GTCP36-201 Auxiliary Power Units (APU). Current testing capability is available for the F414, 404, and J52. The F110 is scheduled to begin testing in May 2003 on the USS John C. Stennis for JETI certification. The GTC/GTCP testing has begun and may take a few months before certification. Initially JETI is only being used by the Navy, but Marine Corps facilities may acquire it in the future.

The JETI has distinctive designations and part numbers, depending on the application. The designations are:

INSTALLATION TYPE	DESIGNATION	PART NUMBER
Aircraft Carrier (CV) or Aircraft Carrier, Nuclear (CVN)	A/W37T-1A	3654AS100-1
Fixed Facility Land-Based	A/F32T-10B	3654AS100-2
Transportable Land-Based	A/E37T-36A	3654AS100-3

**2. Foreign Military Sales.** Not Applicable (NA)

- **E. DEVELOPMENTAL TEST AND OPERATIONAL TEST.** The following sites have conducted Technical Evaluation (TECHEVAL):
- **1. Patuxent River, Maryland**. TECHEVAL began in July 2000 at the Naval Air Systems Command (NAVAIR) at Patuxent River, Maryland, with the installation of an A/ET-36 prototype to test the F414 Test Program Set (TPS). TECHEVAL of the A/ET-36 prototype was completed January 2001.

NAVAIR completed testing of the A/F32T-10B configuration at Patuxent River in July 2002. The A/F32T-10B configuration received approval for Fleet use in July 2002.

NAVAIR completed TECHEVAL for the A/E37T-36A configuration at Patuxent River in October 2002.

As TPSs are developed, NAVAIR will continue to act as the software test bed for TECHEVAL of each unique TPS.

**2.** USS Abraham Lincoln (CVN 72). TECHEVAL for the A/W37T-1A configuration was conducted onboard the USS Abraham Lincoln (CVN 72), and was completed in May 2002. The A/W37T-1A configuration received approval for Fleet use in June 2002.

**F. AIRCRAFT AND/OR EQUIPMENT/SYSTEM/SUBSYSTEM REPLACED.** Over time, the JETI System will replace Standard Engine Test Systems (SETS) in existing engine test facilities throughout the Navy. The T-36A test facility, located at NAVAIR Patuxent River, will be upgraded to current configuration and used to test any changes required in TPS hardware and/or software test applications, and to support development of new requirements. All other T-36 test facilities will be upgraded as required to support site-specific engine test requirements.

JETI replaces current instrumentation in both the A/W37T-1A and A/F32T-10B Test Cells and utilizes existing Government Furnished Equipment (GFE). Current Engine Adapter Assemblies (EAA) and Peculiar Support Equipment (PSE) continue to be used with JETI for all engines except the F414. The F414 TPS will include a new EAA and new PSE. The following table lists existing SETS equipment and shows which JETI configuration will replace the existing equipment.

EXISTING EQUIPMENT	WILL BE REPLACED BY
Standard Engine Test System (SETS) Configuration	JETI Configuration
A/W37T-1 (Shipboard (CV/CVN))	A/W37T-1A (Shipboard (CV/CVN))
A/F32T-10A (Enclosed (Fixed) Land-Based)  A/F32T-10B (Fixed Facility Land-Based)	
A/E37T-36 (Semi-Portable (Open-Air) Land-Based)	A/E37T-36A (Transportable Land-Based)

#### G. DESCRIPTION OF NEW DEVELOPMENT

1. Functional Description. The JETI is a Commercial Off-The-Shelf (COTS) Personal Computer (PC)-based test system that interconnects two major functional elements, the Engine Under Test (EUT) and the test facility. The JETI provides an enhanced computer-based measurement and automated data control system for the purpose of intermediate level testing of aircraft gas turbine engines in either an indoor or outdoor environment both afloat and ashore. It is designed to monitor and display all parameters of an engine being tested, and allows out-of-airframe testing and troubleshooting. The system integrates six different functions:

- Instrumentation
- Data Acquisition
- ° System Processor-Controller
- ° Programmable Throttle System
- ° Distributed Electrical Power
- Operator-Maintenance Control and Display

The system also provides a printout of the calculated engine performance data during normal testing.

The JETI contains two PCs linked via Ethernet. Each PC is a 600 Megahertz (MHz) Pentium III with 256 Megabyte (MB) Random Access Memory (RAM), 13.4 Gigabyte hard drive, keyboard, mouse, 18-inch Liquid Crystal Display touch screen monitor, and an Ethernet card. Each system also includes a Compact Disk-Read Only Memory (CD-ROM) drive, 250 MB Iomega Zip® Drive, 56K modem, and a laser printer.

**2. Physical Description.** All three versions of the JETI (shipboard, land-based (fixed), and land-based (transportable)) are planned to have the same number of cabinets with identical instrumentation. The difference in facility configuration is the control room floor plan. There are no restrictions anticipated for site activation of land-based (A/F32T-10B / A/E37T-36) installations. Shipboard configuration will differ based on the existing floor plan. A Ship Alteration (SHIPALT) may be required to accommodate the difference in size of instrumentation cabinets required to facilitate installation of the JETI System. Funding for necessary SHIPALTs will be provided as required. The installed dimensions of the system are eight feet high by eight feet wide by two feet deep, with an installed weight of 1,800 pounds.

In the original installations, the JETI interfaces with the existing test systems utilizing common hardware items such as Electrical Junction Boxes (EJB), Mechanical Junction Boxes (MJB), Programming Harness Boxes (PHB), power supplies, ancillary equipment, power interface buses etc., but will have separate cabling, software, and stand-alone computer control systems. The JETI power distribution systems, electrical and electronic test instrumentation, system indicators, facility and test system interface components, and controls are contained in specifically configured cabinet assemblies and control console assemblies contained in the environmentally controlled test facility control cab. Ninety-five percent of the test system components are contained within the test facility control room area.

The following paragraphs provide a general description of the System Control Cabinet/Test Console Assemblies and major system sub-assemblies of the JETI System.

- **a.** Test Control Console Assembly I. This console permits monitoring and control of the EUT. Major assemblies and sub-assembles contained in this console include
  - Two Rack Mounted Control Computers (TPS Computer and Data Acquisition (DAQ) Computer)
  - $^{\circ}$  Computer Drawer Assembly 1
  - ° Flat Panel Touch Screen Display
  - ° Keyboard Panel Assembly
  - ° Emergency Panel Assembly
  - Emergency Cable Assembly
  - ° Keyboard-Video-Monitor (KVM) Cable Assembly
  - ° Keyboard Cable Assembly.
- **b.** Throttle Control Console Assembly II. This console permits monitoring and control of the EUT and houses the mount for the engine control dual throttle lever assemblies. Major assemblies and sub-assembles housed in this console include:
  - Flat Panel Touch Screen Display Assembly

- ° Throttle Computer
- ° Intercom Panel Assembly.
- **c. Terminal Strip Cabinet Assembly.** This cabinet assembly provides the electrical interface buses consisting of terminal blocks and interface wiring required for intersystem connections.
- **d. Data Acquisition Instrument Cabinet Assembly.** The DAQ Cabinet Assembly houses two rack mounted 1261B Versa Module Europa Extension for Instrumentation (VXI) bus chassis (upper and lower) that contain the system data collection electronics. The upper chassis contains the bulk of the acquisition instruments as well as the Interface Test Adapter (ITA). The Lower Chassis (1261 VXI) contains the following:
  - Vibration Analyzer
  - ° 2-Channel 1553 Controller
  - Counter-Timer
  - ° Second Harmonic Signal Conditioner Instruments

Sub-assemblies contained in the Lower Chassis include the following:

- Mainframe Extender Module
- Vibration Monitor Module
- ° 1553 Bus Interface Module
- ° Second Harmonic Signal Conditioner Module
- Receiver Assembly
- ° ITA
- **e. Control Cabinet Assembly.** The Control Cabinet Assembly contains the system instrumentation required to monitor engine parameters specified by the manufacturer as being critical and necessary for final test. Sub-assemblies contained in this cabinet assembly include:
  - Power Distribution Module Assembly
  - Uninterruptible Power Supply (UPS)
  - ° 400 hertz (Hz) Alternating Current (AC) Power Supply
  - ° Panel Assembly Power Strip
  - Facility Equipment Control Cabinet (A/F32T-10B (land-based) Test Facility).

The Facility Equipment Control Cabinet (A/F32T-10B (land-based) Test Facility) contains the instrumentation and controls required to operate and monitor facility support systems/Support Equipment (SE), i.e., fuel supply, compressed air, engine air start, fire protection, preservation oil, oil recovery, exhaust ramp temperature indicating system, heating and air conditioning systems, and the facility AC and Direct Current (DC) electrical power distribution systems. The power distribution system also interfaces with test system instrumentation, the throttle system, and electrical-mechanical junction boxes. In the event of

input power interruption, battery backup power is supplied for a reasonable duration to the system hardware to enable a safe engine shutdown.

- **3. New Development Introduction.** The JETI system is being incorporated as an Engineering Change Proposal Improvement (ECPI). It is being installed in the A/F32T-10A test facilities under ECPI-CSE-0038 and the T-1 test facilities under ECPI-CSE-0039. The A/E37T-36 test facility, located at NAVAIR Patuxent River, will be upgraded to current configuration and used to test any changes required in TPS hardware and/or software test applications, and to support development of new requirements. All other A/E37T-36 test facilities will be upgraded as required to support site-specific engine test requirements.
- **4. Significant Interfaces.** The JETI system interfaces with three test system configurations; transportable land-based system (A/E37T-36), the enclosed land-based system (A/F32T-10), and the shipboard (CV/CVN) system (A/W37T-1). The JETI will be contained or housed differently in each configuration and different facility interfaces will be required. Refer to the JETI User's Logistics Support Summary (ULSS) for figures that portray the various floor plans for different configurations. JETI interfaces with existing test systems utilizing common hardware such as the EJB Assembly, MJB Assembly, PHB Assembly, Engine Interface Adapter Assembly (EIAA), power supplies, ancillary equipment, busses, etc. The JETI has separate cabling, software, and a stand-alone computer control system.

The EJB and MJB are identical in size to the existing SETS Electrical Disconnect Box (EDB) and the Mechanical Disconnect Box (MDB). The JETI EJB and MJB are mounted to the same control room wall/bulkhead flange that affixed the EDB/MDB. JETI electrical and mechanical interface assemblies are as follows:

- **a.** Electrical Junction Box Assembly. The EJB Assembly contains the connector assemblies that provide the test interface required to connect the JETI cable assemblies to the EUT, EIAA, and test facility control room. The JETI EJB will replace the functions of the SETS EDB and will be mounted in the same location.
- **b.** Mechanical Junction Box Assembly. The MJB Assembly is an insulated, watertight, corrosion-resistant, environmentally sealed enclosure that houses the pressure transducers used in measuring the various engine pressures during engine testing. The transducers are contained within a heated compartment maintained at a constant temperature to enhance measurement accuracy. The MJB also contains the throttle gearbox assembly and the synchro feedback loop to the throttle computer. The throttle gearbox assembly translates mechanical positions of the throttle levers to the JETI System and associated TPS and the EUT.
- **c. Programming Harness Box Assembly.** The PHB Assembly is a junction box that interfaces with the JETI EJB, via cable assemblies, to provide peculiar engine interface with the JETI control and data acquisition systems. The PHB contains power and engine control circuits, and provides safety protection, ensuring the proper engine test software is loaded into the JETI computer prior to engine testing. Each engine will have its own unique PHB.

- **d.** Engine Interface Adapter Assembly. The EIAA, which is part of the TPS for each engine, provides the means required to interface the JETI with the engine and with installed dress gear. Major components of the EIAA are:
  - Basic Cables Interfacing the FADEC Systems
  - Throttle Rotational Variable Differential Transformer (RVDT) Simulator Box
  - ° PHB

The adapter supplements the basic cables, hoses, and miscellaneous gear that are part of the JETI System.

#### 5. New Features, Configurations, or Material. NA

#### H. CONCEPTS

1. Operational Concept. JETI is operated and maintained by Navy personnel assigned to the AIMDs both ashore and afloat. Operator and maintenance personnel are Aviation Machinist's Mates (AD), assigned to Engine Test Cell Work Center 450, with Navy Enlisted Classification (NEC) Code 6422. System operation requires a total of two technicians, one AD 6422 and one safety observer-maintenance man, usually an Aviation Electrician's Mate (AE) or Aviation Electronics Technician (AT). Program Manager, Air (PMA) 205 has made an official request to the Chief of Naval Operations (CNO) to utilize personnel with NEC 6701 for maintenance and troubleshooting of computers utilized in the JETI System. Maintenance of the JETI System is based on a preventive and corrective maintenance concept in accordance with the Naval Aircraft Maintenance Program (NAMP), Chief of Naval Operations Instruction (OPNAVINST) 4790.2 (series). Depot level repair and rework will be provided by the Original Equipment Manufacturer (OEM) or through contractor maintenance for life.

#### 2. Maintenance Concept

- **a. Organizational.** There is no organizational level maintenance on the JETI. Level 1 (on-equipment maintenance) is performed by the using Intermediate Maintenance Activity (IMA).
- **b. Intermediate.** Intermediate level maintenance personnel perform Level 1 maintenance tasks and systems calibration, including daily and pre-operational inspections, Preventive Maintenance (PM), and servicing, in addition to maintaining, repairing, or replacing most of the components. The JETI System has Built-in-Test (BIT) capabilities to aid the Test Cell Operator in troubleshooting and testing the JETI System. The BIT system fault-isolates a system malfunction(s) to the Shop Replaceable Assembly (SRA) card level. Non-repairable components are forwarded to the depot level for evaluation and/or repair.
- (1) Preventive Maintenance. PM will be conducted at specified intervals in accordance with procedures established on Maintenance Requirement Cards (MRC) and the Pre-operational Check Lists developed to support operational readiness of the JETI System. PM

actions include, but are not limited to corrosion prevention and control, cleaning, lubrication, and pre- and post-operational inspections. Specific listing of PM requirements is provided in the applicable Periodic Maintenance Requirements Manuals (PMRM) developed for the JETI System and EAA TPSs.

- (2) Corrective Maintenance. Corrective Maintenance (CM) is performed in accordance with the appropriate NAVAIR manuals and Intermediate Maintenance Instructions Manual developed for the JETI System. CM consists of troubleshooting to a faulty replaceable component or subassembly, removal and replacement of the defective or failed items, followed by operational testing to verify the corrective action. System and equipment calibration is performed by the IMA Field Calibration Activity, as required.
- **c. Depot.** Depot level maintenance consists of repair and restoration to meet specified requirements with the manufacture of parts, assemblies, or the end item as required. Depot level repair and rework is performed by the OEM or through contractor maintenance for life.
- d. Interim Maintenance. The contractor provides technical support during installation of the JETI system both ashore and afloat. Contractor support includes spare parts and service personnel as required to support the installation, checkout, operation, and maintenance of the JETI system and associated TPS. A team of contractor and Government representatives performs the on-site acceptance tests. After installation acceptance on-site, all TPS hardware and software is tested with engine runs to demonstrate that the JETI System, as installed, is fully functional and meets the interface and control requirements of the applicable test cell. The contractor is responsible for resolution and repair of both hardware and software anomalies identified during installation and testing procedures. A Government assigned installation team will be utilized to install future JETI systems. The Naval Air Technical Data and Engineering Service Command (NATEC) will provide on-going technical support on an as required basis.

#### e. Life Cycle Maintenance Plan. NA

- **3. Manning Concept.** The manning concept is based on functional operational requirements and maintenance workload. PMA205 has made an official request to CNO to utilize personnel with the NEC 6701 for maintenance and troubleshooting of computers in the JETI System. The SETS does not require personnel with NEC 6701 for support. These billets are already manned at most of the AIMDs. The one exception is Naval Air Facility (NAF) Atsugi, Japan. NAF Atsugi does not have personnel with NEC 6701. Existing manpower requirements are adequate to operate and maintain the JETI at all AIMDs receiving the JETI System except NAF Atsugi.
- a. Estimated Maintenance Man-Hours per Operating Hour. JETI design specifications are as follows:

Mean Time Between Critical Failures	500 hours
Mean Time To Repair (Intermediate Level)	2 hours
Maximum Time To Repair (95 <sup>th</sup> percentile)	4 hours

**b. Proposed Utilization.** The following table provides the utilization factors for both the A/W37T-1A and A/F32T-10B JETI configurations.

OPERATIONAL MISSION PROFILE UTILIZATION			
	A/W37T-1A CV/CVN CONFIGURATION	A/F32T-10B LAND-BASED CONFIGURATION	
Typical Operations (Days)	180	365	
Typical Daily Total Demand Time (Standby Hours + Operational Hours)	11.4	8.0	

#### c. Recommended Qualitative and Quantitative Manpower Requirements.

The JETI will not cause a great change in fleet manpower requirements. With the exception of NAF Atsugi, the billets and skill level requirements currently assigned to the AIMDs are adequate to operate and maintain the system.

**4. Training Concept.** The training concept for the JETI System consists of hands-on, on-site, On-the-Job Training (OJT) to be presented by licensed senior test cell operators (E-5 and above) and NATEC personnel. System operator and maintainer training will be held during incorporation of the ECPI on-site, not to exceed ten days after system installation prior to site activation. The JETI System installed on-site and Government furnished SE will satisfy training equipment requirements. System Technical Manuals (TM) can also be loaded onto the JETI computer system and will greatly improve operator and maintainer training. Development of a formal training course is not planned at this time.

CNO letter Code N889H3, dated September 1992, gave Naval Air Maintenance Training Group authorization to cancel other Engine Test Systems Turbine training and gave responsibility of training to NATEC and the local AIMDs. This training is conducted by selected NATEC personnel and licensed senior test cell operators (E-5 and above) on an asrequired basis per OPNAVINST 4790.2.

The established training concept for most aviation maintenance training divides "A" School courses into two or more segments called *Core* and *Strand*. "A" School *Core* courses include general knowledge and skills training for the particular rating, while "A" School *Strand* courses focus on the more specialized training requirements for that rating and a specific aircraft or equipment, based on the student's fleet activity destination. *Strand* training immediately follows *Core* training and is part of the "A" School. "A" School *Core* and *Strand* or equivalent fleet experience is the prerequisite training that will be needed to progress into JETI training.

- **a. Initial Training.** Initial cadre familiarization training has been completed. Contractor training on the operation and maintenance of the JETI System, including related system and engine TPS, was provided to a select group of NAVAIR personnel assigned to perform TECHEVAL. This training was completed in June 2000. Training was provided to a select cadre of NATEC, AIMD, and aircraft carrier Fleet personnel in October 2001. This training was also conducted as hands-on, on-site, in the form of OJT. Operator and maintenance training were conducted concurrently.
- (1) **Operator.** Operator training was provided by the manufacturer to the NAVAIR personnel that are performing TECHEVAL. This training was hands-on, on-site, in the form of OJT. Additional initial training was provided by the manufacturer during the first installation of the system on the USS Abraham Lincoln (CVN 72). This training was OJT and was provided to NATEC personnel, as well as to the ship's company personnel. In the future, NATEC personnel will provide training at the time of installation, and thereafter the training will most likely be conducted as hands-on, on-site, in the form of OJT.
- **(2) Maintenance.** Maintenance training was conducted concurrently with operator training. In the future, NATEC personnel will provide training at the time of installation, and thereafter the training will most likely be conducted as hands-on, on-site, in the form of OJT.
- **b. Follow-on Training.** NATEC personnel and licensed senior Test Cell Operators (E-5 and above) will conduct on-site training for all other site operators and maintainers. This training will be hands-on, on-site in the form of OJT with maximum emphasis on performing hands-on maintenance tasks. Currently, there is an effort in process to award a contract for development of Computer-Based Training (CBT). The CBT is planned to be on contract by January 2003. It will take 16 months to develop the training packages for operator and maintenance courses. The CBT will be used to support follow-on training requirements on an as-required basis. NATEC personnel will provide OJT in the following areas:
  - Basic to advanced training in core disciplines such as electronics, airframes, hydraulics, aircraft engines, and support equipment
  - Aircraft systems, Automatic Test Equipment (ATE), TPS, Weapon Replaceable Assemblies (WRA), SRAs, and circuits
  - ° Test equipment, tools, and hardware
  - ° Maintenance, calibration, verification, and repair
  - Corrosion control
  - ° Technical publication usage
  - ° Technical report generation

#### c. Student Profiles

SKILL IDENTIFIER	PREREQUISITE SKILL AND KNOWLEDGE REQUIREMENTS
AD 6422 (Note 1)	° C-601-2011, Aviation Machinist's Mate Common Core Class A1  And  ° C-601-2012, Aviation Machinist's Mate Helicopter Fundamentals Strand Class A1  Or  ° C-601-2013, Aviation Machinist's Mate Turboprop Fundamentals Strand Class A1  Or  ° C-601-2014, Aviation Machinist's Mate Turbojet Fundamentals Strand Class A1
AE (Note 2)	° C-100-2020, Avionics Common Core Class A1  And ° C-602-2039, Aviation Electricians Mate Strand Class A1
AT 6701	° C-100-2017, Avionics Technician I Level Class A1  And ° C-100-2018, Avionics Technician O Level Class A1  And ° C-602-2039, Aviation Electrician's Mate Strand Class A1

**Note 1:** The courses listed are for the AD rating. NEC 6422 does not have any associated courses; it is OJT awardable.

**Note 2:** For AE personnel in intermediate level billets, C-602-2039 will eventually be replaced with *C-602-2042*, *Aviation Electrician's Mate Intermediate Maintenance Level Strand Class A1*.

**d. Training Pipelines.** The training track for NEC 6422 has been discontinued; there is no formal training track that could be used to provide the necessary training. Currently, there is no plan to re-establish a training track to support this or other test cell systems.

#### I. ONBOARD (IN-SERVICE) TRAINING

#### 1. Proficiency or Other Training Organic to the New Development

**a. Maintenance Training Improvement Program.** Current planning is to adopt the Aviation Maintenance Training Continuum System (AMTCS) concepts to replace Maintenance

Training Improvement Program (MTIP). AMTCS is scheduled to begin full implementation for fleet deployment November 2003.

**b.** Aviation Maintenance Training Continuum System. The AMTCS will provide career path training to the Sailor or Marine from their initial service entry to the end of their military career. AMTCS concepts will provide an integrated system that will satisfy the training and administrative requirements of both the individual and the organization. The benefits will be manifested in the increased effectiveness of the technicians and the increased efficiencies of the management of the training business process. Where appropriate, capitalizing on technological advances and integrating systems and processes can provide the right amount of training at the right time, thus meeting the CNO's mandated "just-in-time" training approach.

Technology investments enable the development of several state-of-the-art training and administrative tools: Interactive Multimedia Instruction (IMI) for the technicians in the Fleet in the form of Interactive Courseware (ICW) with Computer Managed Instruction (CMI) and Computer Aided Instruction (CAI) for the schoolhouse.

Included in the AMTCS development effort is the Aviation Maintenance Training Continuum System - Software Module which provides testing (Test and Evaluation), recording (Electronic Training Jacket), and a Feedback system. The core functionality of these AMTCS tools are based and designed around the actual maintenance-related tasks the technicians perform, and the tasks are stored and maintained in a Master Task List data bank. These tools are procured and fielded with appropriate COTS hardware and software, i.e., Fleet Training Devices - Laptops, PCs, Electronic Classrooms, Learning Resource Centers (LRC), operating software, and network software and hardware.

Upon receipt of direction from OPNAV (N789H), AMTCS concepts are to be implemented and the new tools integrated into the daily training environment of all participating aviation activities and supporting elements. AMTCS will serve as the standard training system for aviation maintenance training within the Navy and Marine Corps, and is planned to supersede the existing MTIP and Maintenance Training Management and Evaluation Program (MATMEP) programs. AMTCS implementation will begin with the F-14, E-2C, and all models F/A-18 aircraft. For more information on AMTCS refer to PMA205-3D3.

#### 2. Personnel Qualification Standards. NA

**3. Other Onboard or In-Service Training Packages.** Training for the JETI System is hands-on, on-site, OJT to be presented by licensed senior test cell operators (E-5 and above) and NATEC personnel. OJT will be supplemented with CBT. Development of a formal training course is not planned at this time.

#### J. LOGISTICS SUPPORT

#### 1. Manufacturer and Contract Numbers

CONTRACT NUMBER	MANUFACTURER	ADDRESS
N68335-00-C-0234 NS-35F-5883 N-001-8999A-770	Racal Instruments Inc.	4 Goodyear Street Irvine, CA 92618

#### 2. Program Documentation

DOCUMENT	ORIGINATOR	DATE
User's Logistics Support Summary for the A/W37T-1A, A/F32T-10B, A/E37T-36A Jet Engine Test Instrumentation (JETI) System P/N 3654AS100-1/-2/-3, NAWCADLKE-U-AO-2002-66	NAVAIR Lakehurst Code 3.1.4.4	3 June 02 Draft
System Specification for the Jet Engine Test Instrumentation (JETI) System	NAVAIR Lakehurst Code 481200	Undated
Acquisition Logistics Support Plan (ALSP) Draft	NAVAIR Lakehurst Code 3.1.4.4	5 June 00

3. Technical Data Plan. A COTS Operations and Intermediate Maintenance Instructions Manual, with Illustrated Parts Breakdown (IPB), has been developed by the contractor for the JETI System. The COTS end item technical manual (AG-JETIS-MIB-00) addresses both the A/W37T-1A and A/F32T-10B configurations in separate work packages and identifies distinctive installation and facility interface requirements. This manual was evaluated for compliance with the Navy maintenance concept. EAA TMs for the F414, F404-400/402, F110, and J52 engines and the GTC36-200 and GTCP36-201 APUs have been revised to include JETI peculiar requirements. In-process reviews will be conducted during TECHEVAL of each TPS to evaluate the development of the TMs with final verification being performed on an installed system.

Delivery of all technical documentation will be in digital Portable Document Format (PDF) with bookmarks for entry onto the NATEC web site for AIMD technical library access. Two hard copies of each manual developed will be delivered concurrent with installation of the JETI system at each respective user site to support system peculiar requirements.

TMs have been developed for the A/W37T-1A and A/F32T-10B Test Facilities. The following TMs are required for maintenance and operation of the JETI System.

A/W37T-1A AND A/F32T-10B TECHNICAL MANUALS		
MANUAL NUMBER TECHNICAL MANUAL TITLE AND DATE		
AG-JETIS-MIB-000	Operation Instructions and Intermediate Maintenance with IPB, JETI System Turbo Fan/Jet Engine Test Facility, A/W37T-1A, P/N 3654AS100-1, A/F32T-10B, P/N 3654AS100-2, August 2002	
AG-JETIS-POM-000	Pre-Operational Check List JETI (A/W37T-1A), P/N 3654AS100-1, August 2002	
AG-JETIS-MRC-000	Periodic Maintenance Requirement Manual (A/W37T-1A), P/N 3654AS100-1, August 2002	
AG-JETIS-POM-100 Pre-Operational Check List JETI (A/F32T-10B), P/N 3654AS100-1		
AG-JETIS-MRC-200 Periodic Maintenance Requirements Manual JETI (A/F32T-10B), P/N 3654AS100-2, August 2002		
NAVAIR 17-50A317	Instrument Calibration Procedures for JETI P/N 3654AS100-1/-2, August 2002	

EAA TMs for the F414, F110, F404-400/402, and J52 engines and the GTC36-200 and GTCP36-201 APU adapters have been revised to include JETI peculiar requirements. The existing EAA technical manuals were provided to the contractor as Government Furnished Material (GFM) for update purposes. The following EAA technical manuals will be delivered in both digital PDF and hardcopy.

ENGINE ADAPTER ASSEMBLY (EAA) TECHNICAL MANUALS		
MANUAL NUMBER TECHNICAL MANUAL TITLE AND DATE		
J52-P408A/B Engine Adapter:		
AG-J52PW-TPS-000 Intermediate Maintenance w/IPB for J52-P-408A/B Engine Interface Adapter Assembly (EIAA) P/N 3654AS5530-1 (A/W37T-1A), August 2002		
AG-J52AA-POM-000 Pre-Operational Checklist for J52-P-408A/B (EIAA), P/N 3654AS5530-1 (A/W37T-1A), August 2002		

ENGINE AD	APTER ASSEMBLY (EAA) TECHNICAL MANUALS
MANUAL NUMBER	TECHNICAL MANUAL TITLE AND DATE
AG-J52AA-MRC-000	Periodic Maintenance Requirements Manual (PMRM) J52-P408A/B (EIAA), P/N 3654AS5530-1 (A/W37T-1A), August 2002
NAVAIR 17-50A321	J52-P-408A Engine Interface Adapter Assembly Instrument (Intermediate) Calibration Procedure, August 2002
F110-GE-400 Engine A	dapter:
AG-F110A-TPS-000	Intermediate Maintenance w/IPB for F110-GE-400 Engine Interface Adapter Assembly (EIAA) P/N 3654AS5230-1 (A/W37T-1A), August 2002
AG-F110A-POM-000	Pre-Operational Checklist F110-GE-400 (EIAA), P/N 3654AS5230-1 (A/W37T-1A), August 2002
AG-F110A-MRC-000	Periodic Maintenance Requirements Manual (PMRM) F110-GE-400 (EIAA), P/A 3654AS5230-1 (A/W37T-1A), Aug 02
NAVAIR 17-50A318	F110-GE-400 Engine Interface Adapter Assembly Instrument (Intermediate) Calibration Procedure, August 2002
F414-GE-400 Engine A	dapter:
AG-F414A-TPS-000	Intermediate Maintenance with IPB for F414-GE-400 Engine Interface Adapter Assembly (EIAA) P/N 3654AS5130-1 (A/W37T-1A), P/N 3654AS5130-2 (A/F32T-10B), August 2002
AG-F414A-POM-000	Pre-Operational Checklist F414-GE-400 (EIAA), EIAA P/N 3654AS5130-1/-2 (A/W37T-1A, A/F32T-10B)), August 2002
AG-F414A-MRC-000	Periodic Maintenance Requirements Manual (PMRM) F414-GE-400 (EIAA), P/A 3654AS5230-1/-2 (A/W37T-1A, A/F32T-10B), August 2002
NAVAIR 17-50A320	F414-GE-400 Engine Interface Adapter Assembly Instrument (Intermediate) Calibration Procedure, August 2002
F404-GE-400/402 Engi	ne Adapter:
AG-F404A-TPS-000	Intermediate Maintenance with IPB for F404-GE-400/402 Engine Interface Adapter Assembly (EIAA) P/N 3654AS5330-1 (A/W37T-1A), P/N 3654AS5330-2 (A/F32T-10B), August 2002

ENGINE ADAPTER ASSEMBLY (EAA) TECHNICAL MANUALS								
MANUAL NUMBER	TECHNICAL MANUAL TITLE AND DATE							
AG-F404A-POM-000	Pre-Operational Checklist F414-GE-400 (EIAA), P/N 3654AS5130-1/-2 (A/W37T-1A, A/F32T-10B)), August 2002							
AG-F404A-MRC-000	Periodic Maintenance Requirements Manual (PMRM) EIAA F404-GE-400/402 (EIAA), P/N 3654AS5230-1/-2 (A/W37T-1A, A/F32T-10B), August 2002							
NAVAIR 17-50A319	F404-GE-400/-402 Engine Interface Adapter Assembly Instrument (Intermediate) Calibration Procedure, August 2002							
GTC36-200/GTCP36-20	1 APU Adapter:							
AG-GTC36-TPS-000	Intermediate Maintenance with IPB for GTC36-200 Engine Adapter Assembly (EIAA) P/N 3654AS5630-1, GTCP36-201 Engine Adapter Assembly (EIAA) P/N 3654AS5730-1, March 2002							
AG-GTC36-POM-000	Pre-Operational Checklist (EIAA), P/N 3654AS5630- 1/3654AS5730-1 (A/W37T-1A), March 2002							
AG-GTC36-MRC-000	Periodic Maintenance Requirements Manual (EIAA), P/N 3654AS5630-1/3654AS5730-1 (A/W37T-1A), March 2002							
NAVAIR 17-50A322	GTC36-200/GTCP36-201 Engine Interface Adapter Assembly, Instrument (Intermediate) Calibration Procedure, August 2002							

**4. Test Sets, Tools, and Test Equipment.** Navy Common Support Equipment (CSE) and standard tools will be utilized to the maximum extent, and COTS equipment will be used if not in the Navy inventory. SECNAVINST 3960.6, OPNAVINST 3960.16, NAVAIRINST 13640.1B and NAVAIR 17-35MTL-1/NAVSEA OD 45845 Metrology Requirements List (METRL) detail calibration standards for all applicable test equipment. Selection of SE required will be prioritized in the following order:

- Use Existing CSE
- Use PSE in Government Inventory
- ° Use Modified Existing CSE, PSE
- ° Use COTS Equipment
- ° Develop New PSE

SE required for maintaining the A/W37T-1A/A/F32T-10B Test Facilities is listed below. BIT features of the JETI System will accomplish most of the system test and troubleshooting

requirements. The following SE, tools, and test equipment are required to perform maintenance on the JETI System.

SUPPORT EQUIPMENT REQUIRED FOR MAINTENANCE OF THE JETI SYSTEM									
DESCRIPTION	MODEL/TYPE/PART NO.	CAGE							
Digital Multi-Meter (DMM)	DM-33 or Equivalent	OHBC4							
Oscilloscope 100 MHz, Dual Channel	654	80009							
Frequency Generator	10050-1200	14304							
Frequency Counter	2458477	15090							
VXI Extraction Tool	910-109-111	18117							
Thermocouple Contact/Signals RCVR (ITA)	910-110-102	18117							
Coaxial Contact Power (RCVR)	910-112-101	18117							
Coaxial Contact Mini Power (ITA)	910-112-104	18117							
Coaxial Contact Power (ITA)	910-112-105	18117							

**5. Repair Parts.** The period between Initial Operating Capability (IOC), September 2001, and the Material Support Date (MSD), November 2003, is considered the Interim Supply Support (ISS) period. The planned interim support scenario is Government furnished spare and repair parts procured as an Interim Support Items List (ISIL) developed by the manufacturer and approved by the Government. The augmented ISS period will continue until full MSD is attained. Initial interim contractor supply support of repair parts will become available for transition to the Government concurrent with attainment of MSD. The Navy Support Date (NSD) is planned for November 2003.

Once MSD and NSD are achieved, supply support for the JETI System will be managed under the Program Support Inventory Control Point (PSICP) concept. The Naval Inventory Control Point (NAVICP) Code 03611.21, Philadelphia, Pennsylvania, is the PSICP representative. Other Inventory Control Points (ICP) or Defense Logistics Agencies (DLA) will be assigned supply support responsibilities for certain assemblies and commodities under their cognizance and provide material support as required.

**6. Human Systems Integration.** All new design systems and software address the human-machine interface for operators, maintainers, and support personnel. The design processes conformed to standard human engineering practices as defined in existing human factors engineering design standards. All new hardware and software will minimize the

requirement for special cognitive, physical, or sensory requirements of the operators, maintainers, or support personnel beyond those available in current Navy/Marine Corps personnel resources. A HSI plan was not developed but a Front End Analysis (FEA) will be performed before sharable content object reference model compliant CBT training is developed.

The curricula delivery methods that are employed to teach JETI are a blend of NATEC, CBT and OJT instruction. All future CBT, CAI and ICW training material will be sharable content object reference model compliant. Development of a formal training course is not planned at this time.

This system has no habitability impact. Manpower issues are covered in part II and III of this document.

In its current state of design, the JETI system contains no explosive, radioactive, or carcinogenic materials. Toxic materials that have been documented are present in small amounts and in forms that present no hazard during any phase of system ownership, including disposal. If the unit were to be incinerated, limited amounts of corrosive vapors would be generated by the decomposition of wire insulation. This is common to all electronic equipment meeting the requirements to operate in the specified environments. Environmental and Occupational Safety and Health requirements meet federal, state, and local standards, regulations, and directives and are enforced by respective agencies, as applicable.

#### K. SCHEDULES

**1. Installation and Delivery Schedules.** The following schedule covers the TECHEVAL of the system, the installation at shore activities, and the installation for aircraft carriers as they become available in the shipyard during overhaul. The column at the far right provides the Ready For Operational Use (RFOU) date.

	IN	INSTALLATIONS BY FISCAL YEAR								R	RFOU
ACTIVITY	00	00 01 02 03 04 05 06 07 08 09							DATE		
NAVAIR Patuxent River (Prototype)	1										Jan 01
NAVAIR Patuxent River (A/F32T-10B)			1								Mar 03
NAVAIR Patuxent River (A/E37T-36 Upgrade)				1							Apr 03
NAS Lemoore #1 (A/F32T-10B)						1					Oct 05
USS Abraham Lincoln, CVN 72		1									Jul 02

	INSTALLATIONS BY FISCAL YEAR								DEOL		
ACTIVITY	00	01	02	03	04	05	06	07	08	09	RFOU DATE
NAS Lemoore #2 (A/F32T-10B)							1				Jan 06
USS Nimitz, CVN 68			1								Jan 03
USS Carl Vinson, CVN 70			1								Jan 03
NAF Atsugi (T-A/F3210B)				1							Dec 03
USS John C. Stennis, CVN 74				1							Jun 03
USS Kitty Hawk, CV 63				1							Jul 03
AIRLANT #1 (Note)						1					Jan 05
AIRLANT #2 (Note)							1				Apr 04
USS Theodore Roosevelt, CVN 71					1						Dec 04
USS Enterprise, CVN 65					1						Oct 04
USS Dwight D. Eisenhower, CVN 69					1						Dec 04
USS George Washington, CVN 73						1					Sep 05
USS Ronald Reagan, CVN 76				1							Dec 04
USS Harry S. Truman, CVN 75									1		Dec 08
USS John F. Kennedy, CV 67										1	Jan 10

**Note:** AIRLANT refers to Commander, U.S. Atlantic Fleet; specific locations are unknown at this time. Locations will be added in updates to this NTSP.

- **2.** Time Required to Install at Operational Sites. The initial installation was completed in five months from start to finish. Further refinements in the installation procedure are expected to lower the time required in the future.
  - 3. Foreign Military Sales and Other Source Delivery Schedule. NA
  - 4. Training Device and Technical Training Equipment Delivery Schedule. NA

### L. GOVERNMENT-FURNISHED EQUIPMENT AND CONTRACTOR-FURNISHED EQUIPMENT TRAINING REQUIREMENTS. NA

#### M. RELATED NTSPs AND OTHER APPLICABLE DOCUMENTS

DOCUMENT OR NTSP TITLE	DOCUMENT OR NTSP NUMBER	PDA CODE	STATUS
Gas Turbine Engine Test Systems NTSP	NTSP-A-50-8616B/A	PMA205	Approved Aug 98
User's Logistics Support Summary for the A/W37T-1A, A/F32T-10B, A/E37T-36A Jet Engine Test Instrumentation (JETI) System P/N 3654AS100- 1/-2/-3	NAWCADLKE-U- AO-2002-66	NAVAIR Lakehurst Code 3.1.4.4	3 June 02 Draft
System Specification for the Jet Engine Test Instrumentation (JETI) System	NA	NAVAIR Lakehurst Code 481200	Undated
Acquisition Logistics Support Plan (ALSP) Draft	NAWCADLKE-ALSP	NAVAIR Lakehurst Code 3.1.4.4	5 Jun 00
Department of the Navy Policy and Responsibilities for Test, Measurement, Monitoring, Diagnostic Equipment and Systems, and Metrology and Calibration (METCAL)	SECNAVINST 3960.6	OP-461	Approved 12 Oct 90
Navy Test and Monitoring Systems (TAMS)	OPNAVINST 3960.16	N433	Approved 18 Jan 95
Naval Aviation Metrology and Calibration	NAVAIRINST 13640.1B	AIR-3.9.2	Approved 05 Sep 01

#### **PART II - BILLET AND PERSONNEL REQUIREMENTS**

The JETI is replacing an existing engine test cell and will not result in the deactivation of any activities. Additionally, billets will not be deleted. Since the JETI Operators and Maintainers are trained via OJT, there are no requirements for instructor billets or chargeable student billets. The following elements are not affected by the JETI and, therefore, are not included in Part II of this NTSP:

#### II.A Billet Requirements

- II.A.2.a Operational and Fleet Support Activity Deactivation Schedule
- II.A.2.b Billets To Be Deleted For Operational And Fleet Support Activities
- II.A.2.c Total Billets To Be Deleted For Operational And Fleet Support Activities
- II.A.3 Training Activities Instructor And Support Billet Requirements
- II.A.4 Chargeable Student Billet Requirements

#### II.B Personnel Requirements

II.B.1 Annual Training Input Requirements

**Note:** This Part of the JETI NTSP reflects intermediate level maintenance billet and personnel requirements. It is a compilation of NEC 6422 and 6701. The addition of JETI to the intermediate level workload is only a percentage of the required workload for these NECs.

#### **PART II - BILLET AND PERSONNEL REQUIREMENTS**

#### **II.A. BILLET REQUIREMENTS**

**SOURCE OF AMD:** Total Force Manpower Management System DATE: October 2002

#### II.A.1.a. OPERATIONAL AND FLEET SUPPORT ACTIVITY ACTIVATION SCHEDULE

ACTIVITY, UIC		PFYs	CFY03	FY04	FY05	FY06	FY07
OPERATIONAL ACTIVITIES - USN							
CV 67 USS John F. Kennedy	03367	1	0	0	0	0	0
CVN 65 USS Enterprise	03365	1	0	0	0	0	0
CVN 69 USS Dwight D. Eisenhower	03369	1	0	0	0	0	0
CVN 71 USS Theodore Roosevelt	21247	1	0	0	0	0	0
CVN 73 USS George Washington	21412	1	0	0	0	0	0
CVN 75 USS Harry S. Truman	21853	1	0	0	0	0	0
CVN 76 USS Ronald Reagan	22178	1	0	0	0	0	0
CV 63 USS Kitty Hawk	03363	1	0	0	0	0	0
CVN 68 USS Nimitz	03368	1	0	0	0	0	0
CVN 70 USS Carl Vinson	20993	1	0	0	0	0	0
CVN 72 USS Abraham Lincoln	21297	1	0	0	0	0	0
CVN 74 USS John C. Stennis	21847	1	0	0	0	0	0
TOTAL:		12	0	0	0	0	0
FLEET SUPPORT ACTIVITIES - USN							
NAF Atsugi - AIMD	44323	1	0	0	0	0	0
NAF Atsugi AIMD Det Iwakuni	49340	1	0	0	0	0	0
TOTAL:		2	0	0	0	0	0

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILL OFF	ETS ENL	DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
OPERATIONAL ACTIVITIES - USN					
CV 67 USS John F. Kennedy, 03367 ACDU	0 0 0 0 0	1 1 1 2 1 3	AD1 AD2 AD3 ADAN AE1 AT1	6422 6422 6422 6422 6701 6701	0502
ACTIVITY TOTAL:	0	1 10	AT1	6701	9503
CVN 65 USS Enterprise, 03365 ACDU	0 0 0 0 0	1 1 1 2 1 3	AD1 AD2 AD3 ADAN AE1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			
CVN 69 USS Dwight D. Eisenhower, 03369 ACDU	0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			
CVN 71 USS Theodore Roosevelt, 21247 ACDU	0 0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

	BILL		DESIG/	PNEC/	SNEC/
ACTIVITY, UIC, PHASING INCREMENT	OFF	ENL	RATING	PMOS	SMOS
CVN 73 USS George Washington, 21412					
ACDU	0	1	AD1	6422	
	0	1	AD2	6422	
	0	1	AD3	6422	
	0	2	ADAN	6422	
	0	1	AE1	6701	
	0	3	AT1	6701	0502
	0	1	AT1	6701	9503
ACTIVITY TOTAL:	0	10			
CVN 75 USS Harry S. Truman, 21853					
ACDU	0	1	AD1	6422	
	0	1	AD2	6422	
	0	1	AD3	6422	
	0	1	ADAN	6422	
	0	1	AE1	6701	
	0	3	AT1	6701	
	0	1	AT1	6701	9503
ACTIVITY TOTAL:	0	9			
CVN 76 USS Ronald Reagan, 22178					
ACDU	0	1	AD1	6422	
	0	1	AD2	6422	
	0	1	AD3	6422	
	0	2	ADAN	6422	
	0	1	AE1	6701	
	0	3	AT1	6701	
	0	1	AT1	6701	9503
ACTIVITY TOTAL:	0	10			
CV 63 USS Kitty Hawk, 03363					
ACDU	0	1	AD1	6422	
-	0	1	AD2	6422	
	0	1	AD3	6422	
	0	2	ADAN	6422	
	0	1	AE1	6701	
	0	3	AT1	6701	
	0	1	AT1	6701	9503
ACTIVITY TOTAL:	0	10			

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

ACTIVITY, UIC, PHASING INCREMENT	BILL OFF	ETS ENL	DESIG/ RATING	PNEC/ PMOS	SNEC/ SMOS
CVN 68 USS Nimitz, 03368 ACDU	0 0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			
CVN 70 USS Carl Vinson, 20993 ACDU	0 0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			
CVN 72 USS Abraham Lincoln, 21297 ACDU	0 0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			
CVN 74 USS John C. Stennis, 21847 ACDU	0 0 0 0 0 0	1 1 1 2 1 3 1	AD1 AD2 AD3 ADAN AE1 AT1	6422 6422 6422 6422 6701 6701	9503
ACTIVITY TOTAL:	0	10			

II.A.1.b. BILLETS REQUIRED FOR OPERATIONAL AND F	LEET SI BILL		ACTIVITIES DESIG/	PNEC/	SNEC/
ACTIVITY, UIC, PHASING INCREMENT	OFF	ENL	RATING	PMOS	SMOS
FLEET SUPPORT ACTIVITIES - USN					
NAF Atsugi - AIMD, 44323 ACDU	0	1 2	AD1 AD2	6422 6422	
ACTIVITY TOTAL:	0	3			
NAF Atsugi AIMD Det Iwakuni, 49340 ACDU	0	2 1	AD2 AD3	6422 6422	
SELRES	0				
ACTIVITY TOTAL:	0	3			

II.A.1.c. TOTAL BILLETS REQUIRED FOR OPERATIONAL AND FLEET SUPPORT ACTIVITIES

DESIG/ RATING	PNEC/SNEC PMOS/SMOS	PFYs OFF ENL	CFY03 OFF ENL	FY04 OFF ENL	FY05 OFF ENL	FY06 OFF ENL	FY07 OFF ENL
	ATIONAL ACTIVIT		•·· =··=	<b></b>	• • • • • • • • • • • • • • • • • • • •	• · · · · · · · · · · · · · · · · · · ·	011 =11=
AD1 AD2 AD3 ADAN AE1 AT1	6422 6422 6422 6422 6701 6701 9503	12 12 12 23 11 33	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0
USN OPERA NA	ATIONAL ACTIVIT	TIES - SELRES 0	0	0	0	0	0
USN FLEET AD1 AD2 AD3	SUPPORT ACTIV 6422 6422 6422	/ITIES - ACDU 1 4 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
USN FLEET NA	SUPPORT ACTIV	/ITIES - SELRES 0	0	0	0	0	0
SUMMARY	TOTALS:						
USN OPERA	ATIONAL ACTIVIT	TIES - ACDU 114	0	0	0	0	0
USN OPERA	ATIONAL ACTIVIT	TIES - SELRES 0	0	0	0	0	0
USN FLEET	SUPPORT ACTIV	/ITIES - ACDU 6	0	0	0	0	0
USN FLEET	SUPPORT ACTIV	/ITIES - SELRES 0	0	0	0	0	0
GRAND TO	ΓALS:						
USN - ACDU	I	120	0	0	0	0	0
USN - SELR	ES	0	0	0	0	0	0

II.A.5. ANNUAL INCREMENTAL AND CUMULATIVE BILLETS

DESIG/	PNEC/	SNEC/	BILLET	CFY		FY		FY		FY		FY	
RATING	PMOS	SMOS	BASE	+/-	CUM								
a. OFFICER – USN Not Applicable													
b. ENLIST	ED - USN												
Operational Billets ACDU and TAR													
AD1	6422		12	0	12	0	12	0	12	0	12	0	12
AD2	6422		12	0	12	0	12	0	12	0	12	0	12
AD3	6422		12	0	12	0	12	0	12	0	12	0	12
ADAN	6422		23	0	23	0	23	0	23	0	23	0	23
AE1 AT1	6701 6701		11 33	0	11 33								
AT1	6701	9503	აა 11	0	აა 11								
ΛΠ	0701	3303	11	U	11								
Fleet Supp	ort Billets	ACDU an	d TAR										
AD1	6422		1	0	1	0	1	0	1	0	1	0	1
AD2	6422		4	0	4	0	4	0	4	0	4	0	4
AD3	6422		1	0	1	0	1	0	1	0	1	0	1
051.050.5	5''' (												
SELRES E	Billets		0	0	0	0	0	0	0	0	0	0	0
			U	U	U	U	U	U	U	U	U	U	U
TOTAL USN ENLISTED BILLETS:													
Operation	al		114	0	114	0	114	0	114	0	114	0	114
Fleet Supp	oort		6	0	6	0	6	0	6	0	6	0	6
SELRES			0	0	0	0	0	0	0	0	0	0	0

c. OFFICER - USMC Not Applicable

d. ENLISTED - USMC Not Applicable

#### **PART III - TRAINING REQUIREMENTS**

CNO letter Code N889H3, dated September 1992, gave Naval Air Maintenance Training Group authorization to cancel other Engine Test Systems Turbine training and gave responsibility of training to NATEC and the local AIMDs. This training is provided as OJT and is conducted by selected NATEC personnel and licensed senior Test Cell Operators (E-5 and above) on an as-required basis. Therefore, there is no requirement for courses; the following elements are not affected by the JETI and are not included in Part III of this NTSP:

#### III.A. Training Course Requirements

III.A.1. Initial Training Requirements

III.A.2. Follow-On Training

III.A.2.a. Existing Courses

III.A.2.b. Planned Courses

III.A.2.c. Unique Courses

III.A.3. Existing Training Phased Out

#### **PART IV - TRAINING LOGISTICS SUPPORT REQUIREMENTS**

Since the JETI Operators and Maintainers are trained via OJT, there are no requirements for training hardware, courseware, or facilities. The following elements are not affected by the JETI and therefore are not included in Part IV of this NTSP.

#### IV.A Training Hardware

- IV.A.1 TTE/GPTE/SPTE/ST/GPETE/SPETE
- IV.A.2 Training Devices

#### IV.B Courseware Requirements

- IV.B.1 Training Services
- IV.B.2 Curricula Materials And Training Aids
- IV.B.3 Technical Manuals

#### IV.C Facility Requirements

- IV.C.1 Facility Requirements Summary (Space/Support) By Activity
- IV.C.2 Facility Requirements Detailed By Activity And Course
- IV.C.3 Facility Project Summary By Program



#### PART V - MPT MILESTONES

COG CODE	MPT MILESTONES	DATE	STATUS
DA	Distribute Initial NTSP	Dec 99	Complete
Contractor	Conduct Initial Familiarization Training for TECHEVAL Personnel	Jun 00	Complete
Contractor	Conduct Initial Training for NATEC Personnel	May 01	Complete
DA	Distribute Second Iteration Initial NTSP	Apr 01	Complete
PDA	Achieve IOC	Sep 01	Complete
DA	Began Fleet Introduction	Jul 02	Ongoing
NATEC	Conduct OJT During Fleet Installation	-	Ongoing
DA	Deliver Draft NTSP	Nov 02	Complete
ОРО	Distributed Draft NTSP for Review	Dec 02	Complete
DA	Award Contract for Computer Based Training (CBT)	FY03	In process
PDA	Achieve NSD	Nov 03	Pending
PDA	Achieve MSD	Nov 03	Pending



#### PART VI - DECISION ITEMS / ACTION REQUIRED

**DECISION ITEM OR ACTION REQUIRED** 

COMMAND ACTION DUE DATE STATUS

No actions pending



NAVAIR, PMA205B1

greenkl@navair.navy.mil

#### **PART VII - POINTS OF CONTACT**

**TELEPHONE NUMBERS** 

#### NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL

**CAPT John Chase** COMM: (703) 604-7747 **Deputy Aviation Maintenance Programs** DSN: 664-7747 CNO, N781B FAX: (703) 604-6972 john.chase@navy.mil **CDR Wanda Janus** COMM: (703) 614-3375 Resource Sponsor/Program Sponsor DSN: 224-3375 CNO, N785D1/E1 FAX: (703) 695-3066 janus.wanda@navy.mil **AZC Daniel Burlile** COMM: (703) 604-7709 NTSP Manager DSN: 664-7709 CNO, N789H7 FAX: (703) 604-6939 daniel.burlile@navy.mil **LCDR Jim Arend** COMM: (703) 695-3223 DSN: Aviation Manpower 225-3223 CNO, N122C1C FAX: (703) 614-5308 n122c1c@bupers.navy.mil **CAPT Mike Disano** COMM: (703) 602-5172 Professional Development Division Director DSN: 332-5172 CNO, N00T3 FAX: (703) 602-5175 mike.disano@navy.mil Mr. Robert Zweibel COMM: (703) 602-5151 DSN: Human Performance and Acquisition Assessment Division 332-5151 CNO, N00T46 FAX: (703) 602-5175 robert.zweibel@navy.mil **CAPT David Mahoney** COMM: (703) 601-1872 DSN: Head, Reserve Air Logistics Programs 329-1872 CNO, N0955F FAX: (703) 601-0561 david.mahoney@navy.mil Mr. Mike Kopan COMM: (301) 757-6845 JETI Program Manager DSN: 757-6845 NAVAIR, PMA260C FAX: (301) 757-6902 kopanmc@navair.navy.mil **LCDR Mike Huff** COMM: (301) 757-8141 Training System Manager, Common Support Equipment DSN: 757-8141 NAVAIR, PMA205-3C FAX: (301) 757-6945 michael.r.huff@navy.mil **AZCM Kevin Green** COMM: (301) 757-8120 **AMTCS Training Systems Manager** DSN: 757-8120

FAX:

(301) 757-6941



#### **PART VII - POINTS OF CONTACT**

#### NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL

#### **TELEPHONE NUMBERS**

Mr. Carl D. Langley JETI Assistant Program Manager, Logistics

NAVAIR Lakehurst, 3.4.1.4 carl.langlev@navv.mil

**CAPT Pat Salsman** Branch Head, Training Requirements and Assessments

COMLANTFLT, N72 salsmancp@clf.navy.mil

**CDR Mike Hohl** 

Aviation NTSP Point Of Contact COMLANTFLT, N731

hohlmj@clf.navy.mil

Mr. Bob Long

Deputy Director for Training

COMPACFLT, N70

longrh@cpf.navy.mil

ATC Keith Barbazon

Air Training Programs COMNAVRESFORCOM, N734

barbazon@cnrf.navy.mil

**CAPT Robert Holland** 

Deputy Assistant, Chief of Naval Personnel for Distribution

NAVPERSCOM, PERS-4B

p4b@persnet.navy.mil

**CDR Dave Nelson** 

Branch Head, Aviation Enlisted Assignments

NAVPERSCOM, PERS-404

p404@persnet.navy.mil

**CDR Rose Wynne** 

Aviation Department Head

NAVMAC, 30

rosemary.wynne@navy.mil

Ms. Susan Webb

NTSP Coordinator NAVMAC, 30

susan.webb@navy.mil

Mr. Brett Hollowell

NETC/NPDC NTSP Coordinator

NPDC, N7

brett.hollowell@cnet.navy.mil

COMM: (732) 323-4802

DSN: 624-4802 FAX:

(732) 323-7402

COMM: (757) 863-6495

DSN: 863-6495

FAX: (757) 863-6794

COMM: (757) 836-0085

DSN: 836-0085

FAX: (757) 836-6737

COMM: (808) 471-8513

DSN: 315-471-8513 (OUTCONUS)

FAX: (808) 471-8596

COMM: (504) 678-1259

DSN: 678-1259

FAX: (504) 678-6847

COMM: (901) 874-3529

DSN: 882-3529

FAX: (901) 874-2606

COMM: (901) 874-3691

DSN: 882-3691

FAX:

(901) 874-2642

COMM: (901) 874-6218

DSN: 882-6218

FAX:

(901) 874-6471

COMM: (901) 874-6242

DSN: 882-6242

FAX: (901) 874-6471

COMM: (757) 444-2269 ext. 3225

DSN: 564-2269 ext. 3225

FAX: (757) 445-8082



#### **PART VII - POINTS OF CONTACT**

#### NAME / FUNCTION / ACTIVITY, CODE / INTERNET EMAIL

#### **TELEPHONE NUMBERS**

 Mr. Steve Berk
 COMM:
 (850) 452-8919

 NTSP Distribution
 DSN:
 922-8919

 NETC, ETS-23
 FAX:
 (850) 452-4853

 stephen-q.berk@cnet navy.mil
 FAX:
 (850) 452-4853

MAJ Robert J. Turpin, USMCCOMM:(850) 452-9790 ext. 135Center for Naval Aviation Technical Training (CNATT)DSN:922-9790 ext. 135Functional Integration Directorate (FID), N55FAX:(850) 452-3262maj-robert.turpin@cnet.navy.mil

 LCDR Rick Lawson
 COMM:
 (757) 444-5087 ext. 3354

 NTSP Manager
 DSN:
 564-5087 ext. 3354

 COMOPTEVFOR, 533
 FAX:
 (757) 444-3820

 lawsonr@cotg.navy.mil
 (757) 444-3820

 Mira L. Barks
 COMM:
 (301) 863-3934

 NTSP Author
 DSN:
 NA

Information Resources Management, Ltd. FAX: (301) 863-3938

mbarks@irml.com

Mr. Phil SzczyglowskiCOMM:(301) 757-8280Manpower and Training Analysis Division HeadDSN:757-8280NAVAIR, AIR 3.4.1FAX:(301) 342-7737szczyglowspr@navair.navy.mil

 Mr. Bob Kresge
 COMM:
 (301) 757-1844

 NTSP Manager
 DSN:
 757-1844

 NAVAIR, AIR 3.4.1
 FAX:
 (301) 342-7737

 kresgerj@navair.navy.mil
 FAX:
 (301) 342-7737

 ATCS Jeff Hall
 COMM:
 (301) 757-3109

 NTSP Coordinator
 DSN:
 757-3109

 NAVAIR, AIR 3.4.1
 FAX:
 (301) 342-7737

 halljd3@navair.navy.mil
 FAX:
 (301) 342-7737

 ATC Patrick Cortez
 COMM:
 (301) 757-8788

 NTSP Analyst
 DSN:
 757-8788

 NAVAIR, AIR 3.4.1
 FAX:
 (301) 342-7737

 cortezpg@navair.navy.mil
 (301) 342-7737